Документ подписан простой электронной подписы	0
Информация о владельце:	
ФИО: Косенок Сергей Михайлович	
Должность: ректор	
Дата подписания: 10.06.2024 11:46:50	
Уникальный программный ключ:	
e3a68f3eaa1e62674b54f4998099d3d6bfdcf836	

Diagnostic testing Discipline "Pathologic Anatomy" *Terms 5,6*

Curriculum	31.05.01
Specialty	General Medecine
Form of education	Full-time
Designer Department	Pathophysiology and general pathology
Graduate Department	Internal Diseases

Section 1. (Term 5)

Competence	Task	Answers	Type of complexity
GPC-5	<i>Choose the correct answer</i> 1. Ethical standards of the doctor - pathologist are determined	 skills and abilities laws and orders ethnic characteristics of the region the moral responsibility of the doctor to society 	low
GPC-5	<i>Choose the correct answer</i> 2. In clinical diagnosis, the main disease is considered	 the disease diagnosed upon admission to the hospital a disease that causes the main complaints of the patient, the severity of his condition and requires treatment. the condition that the patient had long before admission to the hospital conditions indicated in the outpatient card 	low
GPC-5	<i>Choose the correct answer</i> 3. Reliable determination of lipids in a hystology speciemen will help	 1) congo red 2) hematoxylin and eosin 3) Sudan III 4) toluidine blue 5) picrofuchsin 	low
GPC-5	<i>Choose the correct answer</i> 4. In protein starving, steatosis developes in	1) liver(+) 2) kidneys 3) heart 4) adrenal glands 5) spleen	low
GPC-5	<i>Choose the correct answer</i> 5. The main cause of the development of fatty myocardial dystrophy	 hypoproteinemia hypocalcemia hypoglycemia hypercholesterolemia hypoxia 	low
GPC-5	<i>Choose the correct answers</i> 6. Flow cytometry for DNA content analysis allows to determine	 the number of dividing cells(+) the number of resting (stable) cells aneuploidy diploidy the presence of pathogens 	medium
GPC-5	<i>Choose the correct answers</i> 7. Choose correct statements	 the cytoplasm of necrotic cells is more eosinophilic pycnotic nuclei stain with hematoxylin weaker fatty necrosis is represented by calcium soap precipitates with caseous necrosis, the cells retain their outlines colliquational necrosis develops due to infection 	medium
GPC-5	<i>Choose the correct answers</i> 8. Serum creatine kinase increases with necrosis	1) brain 2) kidneys 3) striated muscles 4) pancreas 5) myocardium	medium

GPC-5	<i>Choose the correct answers</i> 9. Choose correct statements	 gangrene - necrosis of tissues in contact with the external environment sequestration - a type of gangrene gangrene of the intestine is always wet 	medium
		 4) gangrene of the limb can be both dry and wet 5) the color of tissues in gangrene is due to the accumulation of hematin chloride 	
GPC-5	Choose the correct answers 10. Choose correct statements	 coagulative necrosis is accompanied by thickening and dehydration of the tissue colliquative necrosis - enzymatic softening and melting of tissue caseous necrosis - a kind of coagulative necrosis gangrene - necrosis of tissues in contact with the external environment sequestration - ischemic necrosis 	medium
GPC-5	<i>Choose the correct answers</i> 11. Pulmonary thromboembolism can cause	 sudden death fatty degeneration of the myocardium rupture of the vessel wall pulmonary infarction 	medium
GPC-5	<i>Choose the correct answers</i> 12. Involved in coagulation and fibrinolisis	 macrophages endothelium platelets erythrocytes mesothelium 	medium
GPC-5	<i>Choose the correct answers</i> 13. When the luminal of the renal artery is narrowed by an atherosclerotic plaque, the kidneys develop in the tissue	 ischemic heart attack cyst atrophy sclerosis5) hemorrhagic infarction 	medium
GPC-5	<i>Choose the correct answers</i> 14. Outcomes of infarction	 scar cyst resorption softening hepatization 	medium
GPC-5	<i>Choose the correct answers</i> 15. The development of dic syndrome causes	 increased production of thromboplastins soluble tissue factors in the bloodstream insufficiency of coagulation factors damage to the endothelium hemorrhagic diathesis 	medium
GPC-5	Write the correct answer 16. Macroscopically "Thromb of stagging blood flow»	Red	high
GPC-5	Write the correct answer17. Point hemorrhages are	petechiae	high
GPC-5	Write the correct answer18. Hemosyderin in tissuesreveals a reaction	Perls	high
GPC-5	<i>Write the correct answer</i> 19. Accumulation of lipids in cells is called	Steatosis	high
GPC-5	Write the correct answer	Vessels of the microvasculature	high

20. Stasis is a stopping of the	
blood flow in	

Term 6

Competence	Task	Answers	Type of complexity
GPC-5	<i>Choose the correct answers</i> 1. In atherosclerosis, the following are primarily affected:	 Arterioles Muscular type arteries Elastic type arteries Arteries of the muscular-elastic type Vienna 	low
GPC-5	<i>Choose the correct answers</i> 2. Primary arteriosclerosis:	 Atherosclerosis(+) Arteriolosclerosis Congenital arterial aneurysms Mediacalcinosis Menckeberg Inflammatory arteriosclerosis(+) 	low
GPC-5	<i>Choose the correct answers</i> 3. Sheath of the artery wall, which is mainly affected in atherosclerosis:	 Adventitia Media intima 	low
GPC-5	<i>Choose the correct answers</i> 4. What determines the clinical phenotype of acute forms of cardiac ischemia	 Disease duration Duration of acute hypoxia (by time) The severity of the degree of acute hypoxia Initial cause of acute hypoxia (trigger) The nature of the comorbidity Patient's age 	low
GPC-5	<i>Choose the correct answers</i> 5. Morphological variants of valvular endocarditis:	 ulcerative warty Recurrent ulcerative Acute warty recurrent warty Polyposis-ulcerative 	low
GPC-5	<i>Choose the correct answers</i> 6. What diseases belong to the group "chronic obstructive pulmonary disease"	 Chronic distal bronchitis Obstructive emphysema Silicosis Interstitial pneumonia Lungs' cancer Bronchial asthma cystic fibrosis Sarcoidosis 	medium
GPC-5	<i>Choose the correct answers</i> 7. Causative agents of lobar pneumonia:	 Klebsiella Staphylococcus aureus Pneumococcus Gonococcus Aspergillus 	medium
GPC-5	<i>Choose the correct answers</i> 8. Diseases with a restrictive mechanism:	 Asperginus Granulomatosis Wegener Microscopic polyarteritis Sarcoidosis 	medium

GPC-5 GPC-5	Choose the correct answers 9. Immediate causes and mechanisms of acute heart failure: Choose the correct answers Choose the correct answers	 4. Chronic bronchiolitis 5. Diffuse connective tissue diseases 6. Interstitial pneumonia 1. Hypertensive crisis 2. Acute myocarditis 3. Atherosclerosis of the coronary arteries 4. Decrease in myocardial contractility 5. Tachyform of atrial fibrillation 6. myocardial infarction 1. Hypertensive crisis 2. Conditionaria check 	medium _
	10. Clinical phenotypes of acute heart failure:	 Cardiogenic shock Atherosclerosis of the coronary arteries An attack of cardiac asthma Diffuse small-focal cardio-sclerosis Cardiogenic pulmonary edema 	
GPC-5	Match the causes and their pathogenetic mechanisms11.A. Cardiogenic pulmonary edema (1, 2, 6, 8)B. adult 	 Increased hydrostatic pressure in the alveolar capillaries Decompensation of chronic heart failure Aspiration of stomach contents Damage to the air-blood barrier zone Inhalation of toxic gases Decreased contractility of the left ventricular myocardium Croupous pneumonia Decreased contractility of the right ventricular myocardium 	medium
GPC-5	Choose the correct answers 12. Pathogenesis of pernicious anemia in autoimmune gastritis:	 Stopping production of HCI Production of antibodies to Helicobacter pylori Intestinal metaplasia of the gastric mucosa Production of antibodies to parietal cells Production of antibodies to intrinsic factor (Kastle factor) Destruction of the glands and fibrosis of the lamina propria 	medium _
GPC-5	Match the causes and their pathogenetic mechanisms13.A. Signs of chronic venous stasis in the systemic circulation (2,3,4,6)B. Signs of chronic venous congestion in the pulmonary circulation(1.5)	 The phenomenon of "brown inducation of the lungs" The phenomenon of "nutmeg liver" Swelling of the neck veins Edema on the legs Dyspnea Ascites 	medium
GPC-5	Choose the correct answers 14. For chronic gastritis associated with Helicobacter py lori are characteristic	 Injury to the antrum of the stomach Lymphoplasmocytic infiltration with neutrophils intestinal metaplasia Hypertrophic gastropathy Injury to the fundus of the stomach Ulcer of the corner of the stomach 	medium

GPC-5	Match	1. Oliguria	medium
	15.	2. Arterial hypertension	
	A. nephrotic syndrome (3, 5,	3. Proteinuria more than 3.5 g/day	
	6)	4. Hematuria	
	B. nephritic syndrome (1, 2,	5. Pastosity of the face	
	4)	6. Diffuse edema	
GPC-5	Choose one correct answer	1. cervical ectopia	high
0100	16. Cervical intraepithelial	2. Leukoplakia of the cervical epithelium	
	neoplasia (CIN):	3. Dysplasia of the cervical epithelium	
		4. metaplasia of the cervical epithelium	
		5. cervicitis	
		6. Erosion of the cervix	
GPC-5	Choose the correct answers	1. Antibodies to thyrocyte receptors	high _
	17. Pathogenetic mechanisms	2. Antibody-mediated cellular dysfunction	0 -
	of diffuse toxic goiter	3. Hyperproduction T3, T 4	
	Č	4. Decreased thyroid-stimulating hormone	
		levels	
		5. Reducing the level of T3, T 4	
		6. Elevated levels of thyroid stimulating	
		hormone	
GPC-5	Match	1. Ascending lesion of the distal	high
	18.	gastrointestinal tract (rectum, sigmoid	
	A. Crohn's disease (3 , 4 , 6)	colon)	
	B. Nonspecific ulcerative	2. Starting the process with crypt abscesses	
	colitis (1 , 2 , 5)	3. Segmental lesions of various parts of the	
		gastrointestinal tract	
		4. Inflammation extends to all layers of the	
		intestinal wall	
		5. Inflammation extends only to the mucous membrane	
		6. Granulomas in the histological	
		examination of the intestinal mucosa	
GPC-5	Match	1. Cascade Correa	high
	19.	2. Mutation of the E-cadherin gene	mgn
	A. Intestinal type cancer (1,	3. More often older men	
	3,5)	4. Often young women	
	B. diffuse cancer	5. Formation of glandular structures by	
	(2, 4, 6)	tumor cells	
		6. Diffuse thickening of the stomach wall	
GPC-5	Choose the correct answers	1. Hemolysis	high
	HELLP -syndrome include	2. decreased activity of liver enzymes	
		3. Decreased platelet count	
		4. Leukocytosis	
		5. Increased activity of liver enzymes	
		6. Increase in the number of platelets	